

# Freeform Search

---

<b>Database:</b>	<input type="checkbox"/> US Pre-Grant Publication Full-Text Database <input type="checkbox"/> US Patents Full-Text Database <input type="checkbox"/> US OCR Full-Text Database <input type="checkbox"/> EPO Abstracts Database <input type="checkbox"/> JPO Abstracts Database <input type="checkbox"/> Derwent World Patents Index <input type="checkbox"/> IBM Technical Disclosure Bulletins
<b>Term:</b>	<input type="text" value="L19 same (tunnel or socket)"/> <input type="checkbox"/> <input type="checkbox"/>
<b>Display:</b>	<input type="text" value="10"/> <b>Documents in Display Format:</b> <input type="checkbox"/> CIT <b>Starting with Number</b> <input type="text" value="1"/>
<b>Generate:</b>	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image

---

---

## Search History

---

**DATE:** Sunday, July 11, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
			<u>result set</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L20</u>	L19 same (tunnel or socket)	26	<u>L20</u>
<u>L19</u>	I9 same (proxy or gateway or firewall)	639	<u>L19</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L18</u>	L17 not I5	27	<u>L18</u>
<u>L17</u>	L16 not I3	28	<u>L17</u>
<u>L16</u>	L15 same (tunnel or socket)	29	<u>L16</u>
<u>L15</u>	I1 same (proxy or gateway or firewall)	473	<u>L15</u>
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<u>L14</u>	L13 not I11	7	<u>L14</u>
<u>L13</u>	I9 same L12	8	<u>L13</u>
<u>L12</u>	(secure or trust\$4) adj1 server	726	<u>L12</u>
<u>L11</u>	L10 same (secure or trust\$4)	9	<u>L11</u>
<u>L10</u>	L9 near7 (proxy or gateway)	232	<u>L10</u>

**BEST AVAILABLE COPY**

<u>L9</u>	(terminat\$5 or disconnect\$5) near3 (session or connection or communication)	11346	<u>L9</u>
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<u>L8</u>	L7 not l5	0	<u>L8</u>
<u>L7</u>	l1 same L6	13	<u>L7</u>
<u>L6</u>	(secure or trust\$4) adj1 server	306	<u>L6</u>
<u>L5</u>	L4 same (proxy or server or firewall)	69	<u>L5</u>
<u>L4</u>	l1 same (secure or trust\$4)	721	<u>L4</u>
<u>L3</u>	l2 same (secure or trust\$4)	3	<u>L3</u>
<u>L2</u>	l1 near7 (proxy or gateway)	191	<u>L2</u>
<u>L1</u>	(terminat\$5 or disconnect\$5) near3 (session or connection or communication)	36889	<u>L1</u>

END OF SEARCH HISTORY

BEST AVAILABLE COPY

=> d his

(FILE 'HOME' ENTERED AT 21:34:52 ON 11 JUL 2004)

FILE 'COMPENDEX, COMPUAB, COMPUSCIENCE, DPCI, ELCOM, EUROPATFULL, INSPEC'  
ENTERED AT 21:35:07 ON 11 JUL 2004

L1 8752 S (TERMINAT##### OR DISCONNECT#####) (3A) (SESSION OR CONNECTION  
L2 57 S L1(7A) (PROXY OR GATEWAY)  
L3 1 S L2(75A) (SECURE OR TRUST#####)  
L4 683 S L1(75A) (PROXY OR GATEWAY OR FIREWALL OR SERVER)  
L5 21 S L4(75A) (TUNNEL OR SOCKET)  
L6 331 S (SECURE OR TRUST#####) (1W) SERVER  
L7 7 S L1(75A) L6  
L8 6 S L7 NOT L5

=>

A handwritten label 'STN' is enclosed within a roughly drawn oval. The oval is roughly centered on the page, with the handwritten text 'STN' inside it.

BEST AVAILABLE COPY

=> d

L3 ANSWER 1 OF 1 EUROPATFULL COPYRIGHT 2004 WILA on STN

PATENT APPLICATION - PATENTANMELDUNG - DEMANDE DE BREVET

AN 1263186 EUROPATFULL ED 20021212 EW 200249 FS OS  
TIEN Method of establishing a secure tunnel through a proxy server between a user device and a secure server.  
TIDE Verfahren zur Herstellung eines sicheren Tunnels durch einen Proxyserver zwischen einem Benutzergeraet und einem sicheren Server.  
TIFR Methode pour construire un tunnel securise a travers un serveur proxy entre un dispositif d'utilisateur et un serveur securise.  
IN King, Peter F., 438 Magellan Avenue, Half Moon Bay, CA 94019, US  
PA Openwave Systems Inc., 1400 Seaport Boulevard, Redwood City, CA 94063, US  
SO Wila-EPZ-2002-H49-T2b  
DS R AT; R BE; R CH; R CY; R DE; R DK; R ES; R FI; R FR; R GB; R GR; R IE; R IT; R LI; R LU; R MC; R NL; R PT; R SE; R TR; R AL; R LT; R LV; R MK; R RO; R SI  
PIT EPA2 EUROPÄISCHE PATENTANMELDUNG  
PI EP 1263186 A2 20021204  
OD 20021204  
AI EP 2002-11758 20020527  
PRAI US 2001-872997 20010531  
IC ICM H04L029-06

=>

*Same application*

BEST AVAILABLE COPY